

# Sanding Solutions

## 3M™ Abrasive Sheets – Garnet General Use

### 110N

- Garnet – A wt. paper, open coat for less loading
- Use for intermediate and fine grade sanding
- The choice for traditional woodworkers




13265

UPC Number	Size	Grade	Min/Case
051144-10006-4	9" x 11"	100	100/1000
051144-10005-7		120	
051144-10004-0		150	
051144-10003-3		180	
051144-10002-6		220	

### 130N/140N

- Garnet – D wt. paper, open coat for less loading
- Use for coarse grade heavy sanding
- The choice for traditional woodworkers



13265

UPC Number	Size	Grade	Min/Case
051144-10032-3	9" x 11" 130N	100C	50/500
051144-10031-6		120C	
051144-10030-9		150C	
051144-10035-4	9" x 11" 140N	50	50/500
051144-10034-7		60	
051144-10033-0		80	

## 3M™ Abrasive Sheets – Aluminum Oxide Better

### 216U

- Aluminum oxide on an A wt. paper backing
- Engineered for better performance
- Provides an aggressive open coat material that is load resistant
- Designed for final hand or machine sanding of wood
- Use for finishing, sealer sanding or defect repair



337801

UPC Number	Size	Grade	Min/Case
051131-02549-3	9" x 11"	P80	50/250
051131-02548-6		P100	
051131-02547-9		P120	
051131-02546-2		P150	
051131-02545-5		P180	
051131-02544-8		P220	
051131-02543-1		P240	
051131-02542-4		P280	
051131-02541-7		P320	
051131-02539-4		P400	
051131-02538-7		P500	
051131-02537-0		P600	
051131-02536-3		P800	

### 236U — 3M™ Hookit™ Sheets

- Aluminum oxide on a tear-resistant C wt. paper backing
- Designed to resist loading and provide an excellent finish on a wide variety of materials
- Available with or without dust holes



487154

UPC Number	Size	Grade	Case Quantity
051141-24064-0	3" x 4"	P80	250
051141-24062-6		P100	
051141-24007-7		P120	
051141-20939-5		P150	
051141-20941-8		P180	
051141-20942-5		P220	
051141-20943-2		P320	
051141-20944-9		P400	



145779

# 3M™ Abrasive Sheets – Silicon Carbide Best

## 405N

- Silicon carbide on an A wt. paper backing
- Engineered for better performance
- Open coat
- Fast cutting, load resistant
- Provides exceptional finishes and excellent conformability for contour sanding
- Ideal for dry sanding between coats of varnish and other wood finishes



13266

UPC Number	Size	Grade	Min/Case
051144-10276-1	3-2/3" x 9"	180	400/4000
051144-10275-4		220	
051144-10274-7		240	
051144-10273-0		280	
051144-10272-3		320	
051141-20782-7		360	
051144-10270-9		400	
051144-10333-1	4-1/2" x 5-1/2"	150	400/4000
051144-10332-4		180	
051144-10331-7		220	
051144-10330-0		240	
051144-10329-4		280	
051144-10328-7		320	
051144-10326-3		400	
051144-10260-0	4-1/2" x 11"	220	200/2000
051144-81439-8		320	
051144-10248-8	9" x 11"	150	100/1000
051144-10247-1		180	
051144-10246-4		220	
051144-10245-7		240	
051144-10244-0		280	
051144-10243-3		320	
051144-10242-6		360	
051144-10241-9		400	
051144-10240-2		500	

## 415N/415U

- Silicon carbide on an A wt. paper backing
- Glue bond for good mineral anchorage
- Features load resistant coating
- Use for whitewood and sealer sanding



149041

UPC Number	Size	Grade	Min/Case
051141-20619-6	9" x 11" 415N	80	500/case
051141-20620-2		100	1000/case
051141-20621-9		120	1000/case
051141-20622-6		150	1000/case
051141-20623-3		180	1000/case
051141-20624-0		220	1000/case
051144-14186-9		240	100/1000
051144-14188-3		280	100/1000
051144-14190-6		320	100/1000
051141-20625-7		400	1000/case
051144-14175-3	9" x 11" 415U	100	100/1000
051144-14177-7		120	

## 435N

- Silicon carbide on a C wt. paper backing
- Engineered for better performance
- Open coat
- Fast cutting, load resistant
- Ideal for hand sanding all wood types
- Provides exceptional finishes and good durability for hand sanding
- Recommended for whitewood and sealer hand sanding



13266

UPC Number	Size	Grade	Min/Case
051144-02356-1	9" x 11"	100	100/1000
051144-02355-4		120	
051144-02354-7		150	
051144-02353-0		180	

# Sanding Solutions

## 3M™ Abrasive Sheets – Wetordry™ Paper General Use

### 413Q

- Silicon carbide on an A wt. paper backing
- Excellent conformability
- Designed for final hand or machine sanding of wood
- Use for finishing, sealer, lacquer and varnish sanding or defect repair



149049

UPC Number	Size	Grade	Min/Case
051144-02007-2	9" x 11"	220	50/500
051144-02006-5		240	50/250
051144-02005-8		280	50/250
051144-02004-1		320	50/500
051144-02003-4		360	50/250
051144-02002-7		400	50/500
051144-02001-0		500	50/500
051144-02000-3		600	50/500



376953

Sanding

## 3M™ Stikit™ Sheet Roll System

### 3M™ Stikit™ Sheet Rolls

Stikit sheet rolls are one long continuous strip of abrasive with the adhesive already applied. Operators use ALL the abrasive taken from the roll...with conventional methods, a great deal of the abrasive is wasted since it must be wrapped around a block and is not used for sanding. Stikit abrasives, used in conjunction with a sanding block, also eliminate many of the problems associated with hand sanding, such as splinters and finger marks on the wood surface from uneven sanding pressure. Also, Stikit sheet rolls, unlike dry sheets, do not end up on the floor of the plant where they are apt to be swept up at the end of the day, causing unnecessary waste.



149006

### 216U

Produces a smooth finish. 216U is durable, fast cutting and consists of a unique load-resistant coating.

- P-graded aluminum oxide on an A wt. paper backing
- General use abrasive with a load resistant coating
- A fine finish for varnish, sealers, whitewood and light-colored substrates
- Available grade range P80–P400

UPC Number	Size	Grade	Min/Case	
051141-27410-2	2-3/4" x 25 yd	P80	1/10	
051141-27411-9		P100		
051141-27415-7	2-3/4" x 30 yd	P120	1/10	
051141-27409-6		P150		
051141-27408-9		P180		
051131-02594-3		2-3/4" x 45 yd		P220
051131-02593-6				P240
051131-02591-2				P320
051131-02590-5				P400